

V-Essential Standard Inclusions Specifications

Preliminaries

- Soil Test, Contour Survey, Wind Rating and Basic Bushfire Assessment.
- Property Services Information.
- Contracts & Specifications.
- Full Working Drawings and Engineers Slab Design.
- Home Owners Warranty Insurance Certificate.
- Construction Risk Insurance.
- 6-Star Energy Rating to Vartel Homes Standard Specification & Orientation.
- Colour selection with our Experienced Colour Consultant.
- Building Permit (conditions apply).

Connection of Services

- Based on a 650m2 block and 6 metre set back.
- Water tapping to front of the block to a buried service.
- Wastewater connected to LPOD and up to 1500mm deep tie.
- Stormwater to the LPOD.
- Natural gas.
- Single phase underground power.
- Telephone conduit & draw rope up to the electricity pit only.

Note: Connections do not include consumer account opening fees.

Earth Works and Foundations

- Site cut & fill up to 400mm overall (site fall across building platform).
- Engineered designed concrete waffle pod slab to standard class "M" specification.
- Termite protection-armoured shields to all slab penetrations (Part A).
- Termite chemical spray to building perimeter (Part B).

Note: Site costs are individually assessed for each site.

Structural

- 7-year structural guarantee.
- Wall frame -MGP10 stabilised pine frame.
- Lintels seasoned timber.
- LVL lintels & beams.
- Engineered designed roof trusses.
- Galvanised Lintels to Windows, Doors and Sliding Doors.
- 2450mm over all plates ceiling height throughout Single Storey Homes.

V-Essential Standard Façade

- Lightweight Porch piers with render finish.
- Eaves to front of the dwelling with 2000mm return to both sides only.
- Aluminium Armadale Awning Windows to front Façade elevation façade specific.

Client (1)sign	Date
Client(2) sign	Date

Vartel Homes reserves the right to substitute any of the products mentioned above and suppliers without notice.



Windows & Doors

- Aluminium sliding windows with clear glass and lockable sashes to side and rear
- Aluminium sliding windows with obscured glass and lockable sashes to Ensuite, Bathroom and WC.
- Aluminium clear glass sliding door to Meals/Family and Laundry (design specific) with Deadlocks.
- *Garage* Panel Lift Door with remote control.
- Garage Rear Exit- Aluminium doorframe with Hume duracote flush panel door with Lockwood symmetry lever set lock.
- Front Entry Door Aluminium frame, Hume Newington XN1 with clear glass and Lockwood symmetry lever set lock.

External

- BlueScope custom orb Colorbond roofing (excludes sarking).
- Colourbond downpipes, quad slotted gutter & fascia.
- Austral Bricks Category 1 (6 selected Bricks) to choose from.
- Brick infill to all Windows, Sliding Doors up to 2700mm wide, front Entry and Garage rear exit door only.
- Mortar colour Standard lemon/white sand and Grey cement.
- **Porch** Ceiling -10mm plasterboard with timber trim, 100mm reinforced concrete paving (64mm step-down) and LVL beams lined with painted fibre cement for weather protection.
- Alfresco Ceiling -10mm plasterboard with timber trim, 100mm reinforced concrete paving (64mm step-down), cypress pine timber posts and LVL beams lined with painted fibre cement for weather protection.
- Garage Concrete floor (64mm step-down), 10mm plaster lined ceiling & walls (double brick front wall only), painted AC infill panel above Garage panel door, sectional overhead Garage Door with Remote Control, tempered hardboard door to Garage rear exit.

Insulation

- Sisalation Foil to External Walls.
- R2.0 CSR Gold Batts to External Walls & Garage internal walls.
- R3.5 CSR Gold Batts to internal Ceiling (excludes Garage).

<u>Plaster</u>

- 10mm plasterboard throughout, ceiling fixed onto metal battens at 450mm centres.
- 10mm Waterproof plasterboard to Ensuite and Bathroom and to other wet areas as per requirements.
- 75mm cove cornice throughout.

Client (1)sign	Date
Client (2) sign	Data



Internal Fittings & Fixtures

- 2040mm high internal flush panel hinged doors.
- 2040mm high flush panel hinged doors to Wardrobes, Linen and Broom cupboards.
- 18mm primed MDF doorjambs.
- Architraves and Skirting MDF 67mm x 18mm single bevel.
- Passage Sets-Lockwood Velocity Series Lever Door Handles.
- Chrome D Handles to Wardrobe, Linen and Broom cupboard hinged doors.
- Chrome flush pull handles to Sliding Doors (if applicable).
- White air cushion door stops.

Electrical

- As per standard electrical drawings including, RCD safety switch.
- Hardwired interconnected smoke alarms with battery backup.
- Double Power Points throughout (as per standard electrical drawings).
- Two (2) TV points.
- One (1) Telephone point.
- Batten light points throughout (as per standard electrical drawing).
- External light point outside Laundry.
- Sealed Exhaust fans to Ensuite, Bathroom and WC/Powder Room.

Robes

- Walk in Robes- one (1) shelf and one (1) single hanging rail.
- Robes- one (1) shelf and one (1) single hanging rail.
- Walk in Pantry & Linen four (4) shelves whitemelamine.
- Broom cupboard one (1) shelf white melamine.
- All Shelving is Manufactured with 16mm High Moisture Resistant White Melamine Board with 1mm ABS edging.

Cabinetry - Kitchen

- Quantum Quartz Standard Range 20mm Polished edge Stone Benchtops (Selection of 11 colours).
- Base cupboards fully lined 16mm high moisture resistant white melamine internals.
- Overhead cupboards fully lined with 16mm high moisture resistant white melamine internals and painted MDF bulkheads.
- Doors & Panels 16mm high moisture resistant decorative melamine colour board large range of Colours to choose from.
- One (1) set of four (4) drawers with standard metal sided runners and one (1) cutlery insert to top drawer only.
- Soft closing hinges to doors (excluding corner cupboards).
- Designer door/drawers handles large range to choose from.

Client (1)sign	Date
Client (2) sign	Data

Vartel Homes reserves the right to substitute any of the products mentioned above and suppliers without notice.

Effective: 29/10/2019 Version 1 Last Revised 29/10/2019



Cabinetry - Ensuite, Bathroom, Powder and Laundry

- Square edge or Post form 32mm laminated bench-top.
- Base cupboards fully lined 16mm high moisture resistant white melamine internals.
- Doors & Panels 16mm high moisture resistant decorative melamine colour board large range of Colours to choose from.
- Soft closing hinges to doors (excluding corner cupboards).
- Designer door handles large range to choose from.

Appliances

- Bellissimo By Technika (2040386) (model # TB60FDTSS-5) Stainless Steel Oven.
- Bellissimo By Technika (2030336) (model # TB64GWFSS-4) Stainless Steel Gas Cooktop.
- **Bellissimo By Technika** (2040368) (model # SL10160I-4) Stainless Steel Slide-out Rangehood.
- Bellissimo By Technika (2039894) (model # CSDW60SS-5) Stainless Steel Freestanding Dishwasher.

Plumbing & Bathroom Accessories

- Kitchen sink Base (9502732) MK3 1 & 3/4 Bowl Sink 1 TH RHB 1200mm Stainless Steel.
- Kitchen sink mixer Posh Bristol (9505249) MK2 Sink Mixer Tap Chrome (4 Star).
- POSH Solus (9502322) Vanity Basin 525 X 450mm 1 Taphole White -Vitreous china basins.
- Mizu Drift (2263197) Universal DN40 Pop Up Plug & Waste Chrome to basins.
- Bath (248930) Pop Down Plug & Waste 40mm Chrome to bath.
- Posh Bristol (9505245) MK2 Basin Mixer Tap Chrome (4 Star).
- Posh Bristol (9505247) MK2 Shower Wall Mixer Tap Chrome.
- Base (9502123) Rail Shower Chrome (3 Star).
- Showerline (2008203) Poly Shower Base 4way 900x900 RO White.
- Base (1792824/1792823) Acrylic Bath 1650/1520 X 715 X 380mm White set in tiled podium - House Design Specific.
- Posh Solus (9502264) Rnd Toilet Suite CC S-Trap SCORS White/ Chrome (4 Star).
- Base (9503330) Single Towel Rail 800mm C/P.
- Base (9503325) Toilet Roll Holder Chrome.
- <u>Laundry-</u> POSH Solus (2000365) Flat Rim Trough 45 Litres 1 Taphole with Bypass Stainless Steel, Base (9503412) MK2 Sink Mixer Tap Chrome (4 Star).
- Rinnai Single Solar Panel Hot Water System & Storage Tank 175 litre Connected via continuous flow gas booster S20N (20 litres per minute).

Note: Additional solar panel may be required at the Client's expense subject to orientation of dwelling. Panel and storage tank are positioned at the Builder's discretion.

• External garden taps 1 at Water meter and 1 near the Laundry.

Client (1)sign	Date
Client(2) sign	Date

Vartel Homes reserves the right to substitute any of the products mentioned above and suppliers without notice.

Effective: 29/10/2019 Version 1 Last Revised 29/10/2019



Heating

• Gas ducted heating with Slimline Digital thermostat (number of outlets varies with design).

Painting

- Solver Ultra-Premium Acrylic Sealer/Undercoat one (1) coat to Internal Walls.
- Solver Ultra-Premium Low Sheen two (2) coats to Internal Walls.
- Solver Maxi Ultra-Premium Ceiling White Flat two (2) coats.
- Solver Ultra-Premium Semi-Gloss two (2) coats to Woodwork.
- Solver Ultra-Premium Dura-guard Matte to Externals.

Floor & Wall Ceramic Tiles

- Builder's Silver range ceramic floor tiles to Bathroom, Ensuite, WC/Powder Room and Laundry.
- Builders silver range tiled skirting to Ensuite, Bathroom, Laundry and WC/Powder Room.
- Builders silver range ceramic wall tiles to Kitchen, Bathroom, Ensuite and Laundry.

Laminate Flooring & Carpet

- Category One (1) Laminate floating floor to Kitchen, WIP & Meals.
- Category One (1) Classic Range carpet to all Non-Tiled/Laminate Flooring areas.

Shower Screens/Mirrors

- Stegbar Soft-line Semi Framed shower screens with pivot door & clear safety glass.
- Frameless Polished edge mirrors full width of vanity.

Concrete Paving & Driveway

• Up to 36m2 of 100mm Reinforced Plain Concrete Paving to Driveway and Footpath to Front Entry.